
City of Norfolk Stabilized Area of Impact - Lower Potomac Aquifer





Area of Impact

Lower Potomac Production Wells




Lower Potomac Model Boundary

Simulated drawdown at or exceeding one foot in the Lower Potomac aquifer resulting from a 641,826 gallon per day, steady-state, multi-aquifer withdrawal. The Virginia Coastal Plain Model developed in Modflow by the USGS was used to simulate drawdown.





City of Norfolk Stabilized Area of Impact - Middle Potomac Aquifer



Middle Potomac Production Wells


Middle Potomac Model Boundary

Middle Potomac Critical Cells

Simulated drawdown at or exceeding one foot in the Middle Potomac aquifer resulting from a 641,826 gallon per day, steady-state, multi-aquifer withdrawal. The Virginia Coastal Plain Model developed in Modflow by the USGS was used to simulate drawdown.



City of Norfolk Stabilized Area of Impact - Upper Potomac Aquifer



Area of Impact

Upper Potomac Production Wells


Upper Potomac Model Boundary

Upper Potomac Critical Cells

Simulated drawdown at or exceeding one foot in the Upper Potomac aquifer resulting from a 641,826 gallon per day, steady-state, multi-aquifer withdrawal. The Virginia Coastal Plain Model developed in Modflow by the USGS was used to simulate drawdown.



City of Norfolk Mitigation Area of Impact - Lower Potomac Aquifer



Area of Impact

Lower Potomac Production Wells




Lower Potomac Model Boundary

Simulated drawdown at or exceeding one foot in the Lower Potomac aquifer resulting from the drought of record, transient, multi-aquifer withdrawal. The Virginia Coastal Plain Model developed in Modflow by the USGS was used to simulate drawdown.





City of Norfolk Mitigation Area of Impact - Middle Potomac Aquifer



CS

Area of Impact

Middle Potomac Production Wells




Middle Potomac Model Boundary

Simulated drawdown at or exceeding one foot in the Middle Potomac aquifer resulting from the drought of record, transient, multi-aquifer withdrawal. The Virginia Coastal Plain Model developed in Modflow by the USGS was used to simulate drawdown.



City of Norfolk Mitigation Area of Impact - Upper Potomac Aquifer





Area of Impact

Upper Potomac Production Wells




Upper Potomac Model Boundary

Simulated drawdown at or exceeding one foot in the Upper Potomac aquifer resulting from the drought of record, transient, multi-aquifer withdrawal. The Virginia Coastal Plain Model developed in Modflow by the USGS was used to simulate drawdown.



City of Norfolk Mitigation Area of Impact - Virginia Beach Aquifer






Area of Impact

Virginia Beach Model Boundary

Simulated drawdown at or exceeding one foot in the Virginia Beach aquifer resulting from the drought of record, transient, multi-aquifer withdrawal. The Virginia Coastal Plain Model developed in Modflow by the USGS was used to simulate drawdown.



City of Norfolk Mitigation Area of Impact - Aquia Aquifer





Area of Impact


Aquia Aquifer Model Boundary

Simulated drawdown at or exceeding one foot in the Aquia aquifer resulting from the drought of record, transient, multi-aquifer withdrawal. The Virginia Coastal Plain Model developed in Modflow by the USGS was used to simulate drawdown.



City of Norfolk

Mitigation Area of Impact - Chickahominy-Piney





Area of Impact



Chickahominy-Piney Point Model Boundary

Simulated drawdown at or exceeding one foot in the Chickahominy-Piney Point aquifer resulting from the drought of record, transient, multi-aquifer withdrawal. The Virginia Coastal Plain Model developed in Modflow by the USGS was used to simulate drawdown.

